



VARIANTS

1022S | Kitchen faucet

1022S | KITCHEN FAUCET

Oras Sa?ra

EANCODE

6414150096389

ACTIVEMARKET AREAS

INT, FIN, NOR, SAE, DNK, POL,
RUS, EST, LTU, LVA, UKR



Oras Sa?ra

With a reputation for durability and performance, our Sa?ra faucets have been a respected name in household plumbing for over 40 years. The revised Oras Sarifa updates the design without compromises on usability, price or reliability. Sa?ra offers an exceptionally wide range of choices for both bathroom and kitchen— now in new form, with new design and bigger size options.

Features

Aerator

Standard aerator

Connection

Copper inlet pipes

Hand shower

Side brush

Lever/Handle

Single operating lever/handle, Hot/Cold symbols

Mechanical parts

∅ 40 mm ceramic cartridge for flow and temperature control

Special features

Inner body made of DZR brass,
3S-installation system for safe and simple mounting

Spout

Swivel spout, Swivel range limiting option, Profile construction

Color

Chrome

Temperature

Limitation option for maximum temperature and flow-rate

Flow attributes

Flow-rate at 300 kPa

0.17 l/s

Pressure loss with flow (0.1 l/s)

100 kPa

Technical properties

Connection size

Ø10mm

Hot water supply

max. +80°C

Material

Brass

Projection

213mm

Working pressure

50 - 1000 kPa

Regulations

Noise class

I (ISO 3822)

Approvals

STF

EUFI-RTH-00090-17